



IBM Software Group

## DB2 Requirements Update/feedback

DB2 Information Management Software

Georg Kistenberger  
[kistenberger@de.ibm.com](mailto:kistenberger@de.ibm.com) or +49 931 808 214

@business on demand software

© 2005 IBM Corporation

### GSE DB2 Requirements in FITS

Verteilungsstatistik der Requirements pro Status

Req. Status	Nov. 2005 55 req.	Mai 2006 56 req.	New / changes
Acknowledged	4	-	4-
Returned for User Clarific.	1	-	1-
Suggestion	15	16	1+
Recognized	8	12	4+
Rejected	3	3	-
Accepted	12	6	6-
Announced	0	3	3+
Available	12	16	4+

2

## Neue Requirements / Status

- MR0103061731 – (RE)BIND RELEASE clause with NO or PLAN option  
Status: Acknowledged → Recognized  
Owner: Walter Janißen / Itergo  
Supported by 43% of the GSE members
- MR1121051423 – Special administrative authority TUNEADM, Explain privilege  
Status: RfUC → Acknowledged → Suggestion  
Owner: Walter Görlich / VW  
Comments: APAR PQ93821 is available for DB2 V8. The product direction is to provide a stored procedure (as a DB2 sample) and an enhancement of VE to bypass the issue of explain authorization.  
Strong acceptance of the available solution by most other customers is driving this requirement to be a lower priority

3

## Neue Requirements / Status ...

- MR1109052644 – New type of access path  
Status: RfUC → Acknowledged → Recognized  
Owner: Walter Janißen / Itergo
- MR1229053621 – Space estimation on table level with DB2 AdminTool  
Status: Acknowledged → RfUC → Acknowledged → Recognized  
Owner: Walter Görlich / VW
- MR0816043011 – VE option on panel ADB21K for DB2 AdminTool  
Status: Acknowledged → Recognized  
Owner: Walter Görlich / VW
- MR1023016147 – Thread history should be stored by DB2PM  
Status: Acknowledged → Available  
Owner: Lothar Kollberg / DISOS

4

## Neue Requirements / Status ...

- MR0321055047 - Substitution Character in result set flags the SQL with SQLstate 01517 and SQLCODE 0  
Status: Rejected  
Owner: Hans-Peter Graßhoff / Barmenia  
Reason: Note that any SQLCODE that can happen at FETCH time can also happen at OPEN depending on access path. This is independent of whether it's COBOL or Unicode or CCSIDs, that's just the way it works.
- MR121803336 – Let utility restartable after msg DSNU4071  
Status: Rejected  
Owner: Christian Hildebrandt / Deutsche Bank  
Reason: Use of TEMPLATE can avoid the problem and prevent the DSNU4071
- MR0908035533 – Unload with UNLOAD utility in clustering sequence  
Status: Rejected  
Owner: Walter Janißen / Itergo  
Reason: Ordering function is already available in HPU for DB2

5

## Neue Requirements / Status ...

- MR0908035527 – Missing start time in utility output  
Status: Accepted → Announced  
Owner: Werner Müller / MAN Roland
- MR0816044012 – REBUILD INDEX SHRLEVEL CHANGE  
Status: Accepted → Announced  
Owner: Walter Görlich / VW
- MR0325042821 – Automatic GRECP recovery after DB2 Group Restart  
Status: Accepted → Announced  
Owner: Udo Erlwein / HUK Coburg

6

## Neue Requirements / Status ..

- MR0816045414 – SQL PA enhancement  
Status: Accepted → Available  
Owner: Walter Görlich / VW
  
- MR0608024035 – Utility Support (UNLOAD/LOAD) for LOBs  
Status: Accepted → Available (APAR PK22910 / PTF for V7/V8)  
Owner: Wiltrud Sedlmayer / AUDI
  
- MR1218033345 – Let DSNTIAUL tolerate SQLCODE +495  
Status: Accepted → Available (APAR PQ94911)  
Owner: Walter Görlich / VW