





DB2 11 Capturing Tuning and Trending for SQL Workloads - a resource and cost saving approach





Ulf Heinrich
SEGUS Inc

Agenda








1. DB2 technology used by SQL WorkloadExpert (WLX)
2. The three components of WLX
 - a) The WLX-Started Task (assembler-written)
 - b) Workload processing engine
 - c) GUI front end for Eclipse
3. Real life example:
 - a) Access Path Protection
 - b) Fast problem detection
 - c) Useful advice rule system
 - d) KPI trending
4. Quick solution creation and control
5. Selected Use Cases
6. WLX functional packages of use cases





DB2 technology used by SQL WorkloadExpert (WLX)


- How many resources do you spend on capturing DB2 SQL workload and its metrics?
- There seems to be out-of-the-box metrics delivered by DB2, but does it give me all the data I need, when I need it?
- How does the smarter database, how does DB2 11 for z/OS deal with it?...





- DB2 10 Monitoring Enhancements and Changes:
 - **Statement Level Statistics**
 - Enhanced messages and traces to capture statement level information
 - **Statement information in real-time**
 - STMT_ID – unique statement identifier assigned when statement first inserted into DSC
 - Statement type – static or dynamic
 - Bind TS – 10 byte TS when stmt was bound, or prepared
 - **Statement level execution statistics (per execution)**
 - New Monitor class 29 for statement detail level monitoring
 - **Monitor Class 29 (overhead is ~1-3%)**
 - New for statement level detail







What's exactly new:



- IFCID 316 was enhanced to externalize the data from the Dynamic Statement Cache (DSC) when a flushing situation occurs (LRU, RUNSTATs, ALTER, DROP, REVOKE, ...)
– NO DATA LOSS



- New IFCIDs 400* and 401 additionally EDM pool data – let's call it the **Static Statement Cache**
 - Memory resident storage of static SQL statements
 - Like with the enhanced 316, data is externalized when the EDM pool is full. – NO DATA LOSS



*This IFCID is not really an IFCID but more of a „switch“ to enable externalization of static SQL metrics

DB2 technology used by SQL WorkloadExpert (WLX)

DSC and EDM provide detailed workload insights:




- SQL text
- Statement ID
- Date/time
- Current status
- Resource consumption
- Identification/ environmental data



DB2 technology used by SQL WorkloadExpert (WLX)




DB2 10 also introduced some additional information from the DSC trace we all know today:

- Wait time accumulation for
 - Latch requests
 - Page latches
 - Drain locks
 - Drains during waits for claims to be released
 - Log writers



DB2 technology used by SQL WorkloadExpert (WLX)

- Date and time in store clock format for Stmt insertion and update (along with internal format)
- Number of times that
 - a RID list overflowed because of
 - storage shortage
 - # of RIDs exceeded internal limit(s)
 - a RID list append for a hybrid join interrupted
 - because of RID pool storage shortage
 - # of RIDs exceeded internal limit(s)
 - a RID list retrieval failed for multiple IX access. The result of IX AND/ OR-ing could not be determined



DB2 technology used by SQL Workload Expert (WLX)


Counters # EXECUTIONS OF THE STATEMENT. FOR A CURSOR STATEMENT, THIS IS THE # OF OPENS. # OF SYNCHRONOUS BUFFER READS PERFORMED FOR STATEMENT. # OF GETPAGE OPERATIONS PERFORMED FOR STATEMENT. # OF ROWS EXAMINED FOR STATEMENT. # OF ROWS PROCESSED FOR STATEMENT - FOR EXAMPLE, THE # OF ROWS RETURNED FOR A SELECT, OR THE NUMBER OF ROWS AFFECTED BY AN INSERT, UPDATE, OR DELETE. # OF SORTS PERFORMED FOR STATEMENT. # OF INDEX SCANS PERFORMED FOR STATEMENT. # OF TABLESPACE SCANS PERFORMED FOR STATEMENT. * # OF PARALLEL GROUPS CREATED FOR STATEMENT. # OF SYNCHRONOUS BUFFER WRITE OPERATIONS PERFORMED FOR STATEMENT. # OF TIMES THAT RID LIST RETRIEVAL FOR MULTIPLE INDEX ACCESS WAS NOT DONE BECAUSE DB2 COULD DETERMINE THE OUTCOME OF INDEX ANDING OR ORING*.

O Counters # OF TIMES THAT A RID LIST WAS NOT USED BECAUSE THE # OF RIDS EXCEEDED ONE OR MORE INTERNAL DB2 LIMITS, AND THE # OF RID BLOCKS EXCEEDED THE VALUE OF SUBSYSTEM PARAMETER MAXTEMP. RID. # OF TIMES THAT A RID LIST WAS NOT USED BECAUSE NOT ENOUGH STORAGE WAS AVAILABLE TO HOLD THE RID LIST, OR WORK FILE STORAGE OR RESOURCES WERE NOT AVAILABLE. # OF TIMES THAT A RID LIST OVERFLOWED TO A WORK FILE BECAUSE NO RID POOL STORAGE WAS AVAILABLE TO HOLD THE LIST OF RIDS*. # OF TIMES THAT A RID LIST OVERFLOWED TO A WORK FILE BECAUSE THE NUMBER OF RIDS EXCEEDED ONE OR MORE INTERNAL LIMITS*. # OF TIMES THAT APPENDING TO A RID LIST FOR A HYBRID JOIN WAS INTERRUPTED BECAUSE NO RID POOL STORAGE WAS AVAILABLE TO HOLD THE LIST OF RIDS*. # OF TIMES THAT APPENDING TO A RID LIST FOR A HYBRID JOIN WAS INTERRUPTED BECAUSE THE NUMBER OF RIDS EXCEEDED ONE OR MORE INTERNAL LIMITS*.

TIMINGS ACCUMULATED CPU TIME. THIS VALUE INCLUDES CPU TIME THAT IS CONSUMED ON AN IBM SPECIALTY ENGINE. ACCUMULATED ELAPSED TIME USED FOR STATEMENT. ACCUMULATED WAIT TIME FOR LATCH REQUESTS*. ACCUMULATED WAIT TIME FOR PAGE LATCHES*. ACCUMULATED WAIT TIME FOR DRAIN LOCKS*. ACCUMULATED WAIT TIME FOR DRAINS DURING WAITS FOR CLAIMS TO BE RELEASED*. ACCUMULATED WAIT TIME FOR LOG WRITERS. ACCUMULATED WAIT TIME FOR SYNCHRONOUS I/O. ACCUMULATED WAIT TIME FOR LOCK REQUESTS. ACCUMULATED WAIT TIME FOR A SYNCHRONOUS EXECUTION UNIT SWITCH. ACCUMULATED WAIT TIME FOR GLOBAL LOCKS. ACCUMULATED WAIT TIME FOR READ ACTIVITY THAT IS DONE BY ANOTHER THREAD. ACCUMULATED WAIT TIME FOR WRITE ACTIVITY THAT IS DONE BY ANOTHER THREAD.


IDENTIFICATION DATA SHARING MEMBER THAT CACHED THE SQL STATEMENT*. PROGRAM NAME. PROGRAM NAME IS THE NAME OF THE PACKAGE OR DBRM THAT PERFORMED THE PREPARE/SQL. PRECOMPILER LINE NUMBER FOR THE PREPARE STATEMENT OR SQL STATEMENT. TRANSACTION NAME. THIS VALUE IS PROVIDED DURING RRS SIGNON OR RE-SIGNON. END USER ID*. THIS VALUE IS PROVIDED DURING RRS SIGNON OR RE-SIGNON. WORKSTATION NAME*. THIS VALUE IS PROVIDED DURING RRS SIGNON OR RE-SIGNON. USER ID. USER ID IS THE PRIMARY AUTH. ID OF THE USER WHO DID THE INITIAL PREPARE. USER GROUP. USER GROUP IS THE CURRENT SSQLID OF THE USER WHO DID THE INITIAL PREPARE. USER-PROVIDED IDENTIFICATION STRING.

ENVIRONMENTAL REFERENCED TABLE NAME. FOR STATEMENTS THAT REFERENCE MORE THAN ONE TABLE, ONLY THE NAME OF THE FIRST TABLE THAT IS REFERENCED IS REPORTED. (ALL REFERENCED OBJECTS ARE STORED IN THE WLX DATA MODEL) LITERAL REPLACEMENT FLAG*. CURRENT SCHEMA. QUALIFIER THAT IS USED FOR UNQUALIFIED TABLE NAMES. BIND OPTIONS: ISOLATION, CURRENT DATA, AND DYNAMIC RULES. SPECIAL REGISTER VALUES: CURRENT DEGREE, CURRENT RULES, AND CURRENT PRECISION. WHETHER THE STATEMENT CURSOR IS A HELD CURSOR. TIMESTAMP WHEN STATISTICS COLLECTION BEGAN. DATA COLLECTION BEGINS WHEN A TRACE FOR IFCID 318 IS STARTED. DATE AND TIME WHEN THE STATEMENT WAS INSERTED INTO THE CACHE IN STORE CLOCK FORMAT. DATE AND TIME WHEN THE STATEMENT WAS UPDATED, IN STORE CLOCK FORMAT. DATE AND TIME WHEN THE STATEMENT WAS UPDATED, IN INTERNAL FORMAT.




③ WLX GUI interface

The three components of SQL WorkloadExpert (WLX)



The WLX STC:



We run a started task 24x7 to catch all the IFCIDs that DB2 will be throwing and store the data.




Workload processing engine:

We externalize and process the data, such as every 60 min:

- customizable (e.g. 30 - 180 minutes)
- allow Ad hoc data refresh triggered via operator command for the started task (MODIFY)
- capture the SQL Text at trace time
- gather additional catalog and RTS data
- add explain data if needed






The three components of SQL WorkloadExpert (WLX)




GUI front end for Eclipse:

We exploit and integrate into Eclipse based GUI front ends

- The GUI comes as a Plug-in for
 - IBM Rational
 - IBM Data Studio
 - Eclipse native
- Uses existing JDBC to connect to the mainframe
- Interactive dialogs for complex and powerful analysis
- Export features create PDF reports and allow MS Excel hand over
- Additional plug-ins interface with other SEGUS tools, such as ■ **SQL PerformanceExpert** (SPX) and ■ **Bind ImpactExpert** (BIX)



The three components of SQL WorkloadExpert (WLX)




WLX KPI List

KPI List ZD00QA1B

WLX Key	Number of Statements	Total	Sum of CPU Time	Average CPU Time	Highest CPU Time
2013-06-14 12:24:58.497164	4,391		6,304.879804	0.008477	1,145.2
2013-06-14 13:57:50.529597	4,319		6,029.838625	0.008064	1,145.2
2013-06-27 19:57:00.400711	6,668		2,070.188433	0.003072	131.8
2013-07-15 12:21:02.424463	3,190		1,233.649658	0.002765	156.1
2013-07-24 18:49:02.493977	1,988		684.217708	0.003775	112.3
2013-07-25 13:54:50.112454	1,994		705.081217	0.003675	112.3
2013-08-23 15:49:58.177302	5,480		77,841.577557	0.091512	37,840.0
2013-09-06 10:30:02.928741	1,368		774.172160	0.007616	268.9
2013-09-09 11:16:47.089755	1,568		863.886060	0.003561	302.4
2013-09-09 11:52:26.247883	1,676		900.157849	0.003452	302.4
2013-09-10 13:29:21.163027	705		165.265144	0.004717	34.1
2013-09-10 13:31:54.480301	1,125		270.280989	0.002754	34.1

Workload KPIs – left hand side


The three components of SQL WorkloadExpert (WLX)



Highest CPU Time	Sum of Elapsed Time	Average Elapsed Time	Highest Elapsed Time	Sum of Executions	Sum of GETPAGES	Average
1,145.105711	7,943.646802	0.010681	1,402.964487	743,715	23,381,157	
1,145.105711	7,627.212725	0.010200	1,402.964487	747,694	23,267,963	
131.847561	2,732.904994	0.004055	152.648414	673,815	11,870,972	
156.711721	1,707.154381	0.003827	189.679081	446,021	6,752,967	
112.399979	963.273313	0.005315	134.124305	181,235	3,483,510	
112.399979	988.675318	0.005153	134.124305	191,838	3,934,623	
37,840.676000	201,111.506452	0.236431	99,148.500000	850,613	499,359,435	
268.525015	978.823747	0.009630	299.872348	101,638	2,766,217	
302.491874	1,071.924153	0.004419	337.628678	242,537	2,986,820	
302.491874	1,120.590593	0.004297	337.628678	260,739	3,689,783	
34.159596	214.423290	0.006120	37.771779	35,034	259,135	
34.159596	354.426791	0.003612	37.771779	98,120	987,032	


Workload KPIs –
right hand side

The three components of SQL WorkloadExpert (WLX)



Spider diagram of three application extracts

The three components of SQL WorkloadExpert (WLX)



The three components of SQL WorkloadExpert (WLX)

The screenshot displays the IBM Data Studio interface. The main window shows a table of violations with the following data:

RuleNo	InfoType	Type	Description
9002	WARNING	WARNING	Estimated service units > 25. Try to...
9065	WARNING	WARNING	SELECT * can lead to unnecessary...

A green callout bubble points to the second row of the table, containing the text "SPX rule violation".

The interface also shows a "Statistic(s)" section with the following details:

- TS: DSNDDB06 .SYSDBAUT
- Stats: 2010-05-27-14.11.14.325064
- Partitions: 0 , Tables: 2 , NACTIVEF: 144
- Type: Neither a LOB nor a MEMBER CLUSTER.

The bottom of the window shows the "SQL Results" tab with the following query:

```
SELECT * FROM SYSIB...
```




The three components of SQL WorkloadExpert (WLX)

We enhanced our existing SQL Performance Management tools to interface to the DB2 out-of-the-box data.





Resulting benefits:

- See any executed SQL in a plex-wide report
- Workload/performance warehouse repository that contains *all* executed SQL
- Powerful history and trending analysis

→ **All of this is now available with the smallest overhead ever possible!**




Real life example ...





... Quick solution creation and control


July Problem ...





- Thursday night: Production staging of numerous packages
- Friday: Thread time-outs, deadlocks, bad news!
 - First thought: Must be caused by a bad package – All packages checked, everything found was OK
 - Second thought: Open Priority two ticket at IBM in case it is a DB2 problem
 - JAVA trace showed a long running SQL appearing often
 - REORG with inline RUNSTATs the biggest tables used in that SQL
 - Reduce number of available servers to stop problem getting worse (internal throttling of transactions)
 - Full panic mode now enabled



July Problem ...






- Saturday – Call in senior DBA from vacation
- Saturday Morning 9am – DBA uses WLX to compare SQL workload from Thursday with Friday – Sees bad guy instantly
- 9:10am – DBA uses BIX to confirm that an access path change has caused the problem – Nothing to do with staging, Nothing to do with the large tables
- 9:15am – DBA creates a new “virtual” index using SPX and re-tests – Access path switches back to old correct method
- 9:30am – DBA creates a new index, RUNSTATS it, everything is fixed and the systems are running sweetly again
- 9:45am – DBA goes back on vacation




July Problem ...

- Monday Morning – Investigation by DBA group starts
- noon - DBA group finds that a badly timed RUNSTATs on Thursday night caused the access path change. New index is OK and in fact the old index can now be dropped
- 3:30pm – Report written for CIO, Problem closed at IBM




Selected use cases

GUI features
– button
overview



Example
use case
drop down
box



Example of application workload and SQL text drill down

```
WITH
PRIME KEY (WLX_TIMESTAMP, STMT_GROUP_SSID, STMT_ID, STMT_ORIGIN,
           STMT_TIMESTAMP, STMT_TYPE, SCALE_ADJ) AS
(SELECT WLX_TIMESTAMP, STMT_GROUP_SSID, STMT_ID, STMT_ORIGIN, STMT_TIMESTAMP,
         STMT_TYPE, CASE WHEN STMT_TIMESTAMP >= (SELECT MAX(IQA0610.WLXT009.WLX_TIMESTAMP)
            FROM IQA0610.WLXT009) - 1 HOURS THEN 3.6E+03 / CASE TIMESTAMPDIFF(2, CAST (STMT_STATS_UPD - STMT_TIMESTAMP AS CHAR (22))) WHEN 0 THEN 1 ELSE TIMESTAMPDIFF(2, CAST (STMT_STATS_UPD - STMT_TIMESTAMP AS CHAR (22))
            WHERE EXECUTIONS > 2
        AND ((1 = 1)
        AND (WLX_TIMESTAMP = (SELECT MAX(IQA0610.WLXT009.WLX_TIMESTAMP)
            FROM IQA0610.WLXT009))))
SELECT *
FROM (SELECT DECIMAL(K.SCALE_ADJ, 9, 3) AS SCALE_ADJ, DECIMAL((A.CPU_TIME * 1.000000) / 1E+06, 12, 6) AS CPU_TIME,
    DECIMAL((A.CPU_TIME * 1E+02) / (CASE W.DCPU_TIME WHEN 0 THEN 1 ELSE W.DCPU_TIME END),
    12, 6) AS PCT_CPU_TIME, CASE WHEN A.STMT_TIMESTAMP >= (SELECT MAX(IQA0610.WLXT009.WLX_TIMESTAMP)
    FROM IQA0610.WLXT009) - 1 HOURS THEN DECIMAL(A.CPU_TIME * K.SCALE_ADJ * 1.000000 / 1E+06, 12, 6) ELSE DECIMAL(A.CPU_TIME / (CASE K.SCALE_ADJ WHEN 0 THEN 1 ELSE K.SCALE_ADJ END) * 1.000000 / 1E+06,
    12, 6) END AS CPU_TIME_ADJ, A.GETP_OPERATIONS, DECIMAL((A.GETP_OPERATIONS * 1E+02) / (CASE W.DGETP_OPERATIONS WHEN 0 THEN 1 ELSE W.DGETP_OPERATIONS END),
    12, 6) AS PCT_GETP_OPERATIONS, CASE WHEN A.STMT_TIMESTAMP >= (SELECT MAX(IQA0610.WLXT009.WLX_TIMESTAMP)
    FROM IQA0610.WLXT009) - 1 HOURS THEN BIGINT(A.GETP_OPERATIONS * K.SCALE_ADJ) ELSE BIGINT(A.GETP_OPERATIONS / (CASE K.SCALE_ADJ WHEN 0 THEN 1 ELSE K.SCALE_ADJ END)) END AS GETP_OPERATIONS_ADJ,
    DECIMAL((A.ELAPSE_TIME * 1.000000) / 1E+06, 12, 6) AS ELAPSED_TIME,
    DECIMAL((A.ELAPSE_TIME * 1E+02) / (CASE W.DELAPSE_TIME WHEN 0 THEN 1 ELSE W.DELAPSE_TIME END),
    12, 6) AS PCT_ELAPSED_TIME, CASE WHEN A.STMT_TIMESTAMP >= (SELECT MAX(IQA0610.WLXT009.WLX_TIMESTAMP)
    FROM IQA0610.WLXT009) - 1 HOURS THEN DECIMAL((A.ELAPSE_TIME * K.SCALE_ADJ) * 1.000000 / 1E+06, 12,
    6) ELSE DECIMAL(A.ELAPSE_TIME / (CASE K.SCALE_ADJ WHEN 0 THEN 1 ELSE K.SCALE_ADJ END) * 1.000000 / 1E+06,
    12, 6) END AS ELAPSED_TIME_ADJ, A.EXECUTIONS, DECIMAL((A.EXECUTIONS * 1E+02) / (CASE W.DEXECUTIONS WHEN 0 THEN 1 ELSE W.DEXECUTIONS END),
```

Selected use cases

Compare view:
Select any two SQLs
to generate graphs

Database Development - Eclipse

File Edit Navigate Search Project Run Window Help

WLX WLX int

int New DB2 for z...

Sum of Executions	Sum of CPU Time	Average CPU Time	Percentage CPU Time	Sum of GETPAGES
85	307.602598	3.618854	13.55	2.798
76	199.839950	2.629473	8.80	1.947.851
76	199.839950	2.629473	8.80	1.947.851
76	199.839950	2.629473	8.80	1.947.851
76	199.839950	2.629473	8.80	1.947.851
76	199.839950	2.629473	8.80	1.947.851
8	172.930322	21.616290	7.62	555.208

Result counter: 12

Compare view

Selection 1

Sum of Executions	Sum of CPU Time	Average CPU Time	Percentage CPU Time	Sum of GETPAGES	Average G
85	307.602598	3.618854	13.55	2.798277	8
76	199.839950	2.629473	8.80	1.947.851	2
76	199.839950	2.629473	8.80	1.947.851	2
76	199.839950	2.629473	8.80	1.947.851	2
76	199.839950	2.629473	8.80	1.947.851	2
76	199.839950	2.629473	8.80	1.947.851	2

Selection details

Column name	Selection value 1	Selection value 2
Sum of Executions	76	2
Sum of CPU Time	199.839950	158.202192
Average CPU Time	2.629473	79.101096
Percentage CPU Time	8.80	6.97
Sum of GETPAGES	1.947.851	173.132
Average GETPAGES	25.629	86.566
Percentage GETPAGES	13.95	1.24
Sum of Elapsed Time	299.131558	183.349670


Value 1

```
WITH  
INPUT (WLX_TIMESTAMP, STMT_TIMESTAMP, STMT_ORIGIN, STMT_TYPE,  
STMT_ID, STMT_GROUP_SSID, EXECUTIONS, ELAPSE_TIME, CPU_TIME,  
GRP_OPERATIONS) AS
```

Value 2

```
WITH  
PRIME KEY (WLX_TIMESTAMP, STMT_GROUP_SSID, STMT_ID, STMT_ORIGIN,  
STMT_TIMESTAMP, STMT_TYPE, SCALE_ADJ) AS  
(SELECT WLX_TIMESTAMP, STMT_GROUP_SSID, STMT_ID, STMT_ORIGIN, STMT_TIMESTAMP,
```

Selected use cases



Report generation dialog and selection

WLX Report

Main Title: WLX Report

Subtitle: 2013-07-15 12:21:02.424463

Category Column: Primary Authorization ID

Value Column: Sum of CPU Time

Chart Type: ☒ Bar chart ☐ Pie chart ☐ Line chart

WLX Report

Main Title: WLX Report

Subtitle: CPU intensive statements

Selection 1: 2013-07-10

Selection 2: 2013-06-27

Generate Close





Selected use cases

Output of
the
selected
reporting

WLX Report

CPU intensive statements


Compare view



Sum of Elapsed Time

Sum of Executions

Selected use cases



WLX Test 2

Test 2

ZD00QA1B

Primary Authorization ID	Number of Statements	Sum of CPU Time	Average CPU Time	Highest CPU Time
	309	207.529534	0.000179	32.257744
BOXWELL	152	7.227270	0.008166	1.192778
CHRISTO	1	0.000268	0.000268	0.000268
DUDEK	128	2.177016	0.004380	0.866522

Primary Authorization ID

Number of Statements

Sum c

Open

BOXWEL

CHRISTO

DUDEK

377

Query1

ZD00QA1B

Program	The Collection ID	CPU Time	Elapsed Time	Executions
MDB2DBSG	RTDX0510_PTFTOOL	32.257744	34.707177	335,463
MDB2DB02	MDB2VNEX_TEST	30.274303	38.114398	93,445
M2DBKE09	RTDX0510_PTFTOOL	21.150725	25.142056	1
MDB2DB06	RTDX0510_PTFTOOL	20.025189	22.226928	75,488

Here we
have found
a bad guy!
STOGROUP
SQL

Selected use cases

Package or Program	The Collection ID	CPU Time	Elapsed Time
MD2DB06	RTDX0510_PTFTOOL	22.257744	34.707177
MD2DB06	RTDX0510_PTFTOOL	27.4303	38.114398
M2DBKE09	RTDX0510_PTFTOOL	21.150725	25.142056
MDB2DB06	RTDX0510_PTFTOOL	20.025189	22.226928
MDB2DB26	RTDX0510_PTFTOOL	16.014742	17.335210


Copy SQL statement to clipboard

Now we need to see what it is doing...

```
SELECT CHAR ( SUBSTR ( DIGITS ( YEAR ( STATSTIME ) ) , 9 , 2 ) CONCAT  
            SUBSTR ( DIGITS ( DAYOFYEAR ( STATSTIME ) ) , 8 , 3 ) , 5 ) INTO : H  
FROM SE_STOGROUP  
WHERE NAME = : H  
WITH UR
```

Aha! This looks like a great candidate for LEFT OUTER JOIN processing

Selected use cases



WLX Application Select November

Application Select November


ZD00QA1B

Primary Auth...	Number ...	Sum of CPU Time...	Average CPU Time...	Highest CPU Time...	Sum of Elapsed Time...
[REDACTED]	26	698.802486	0.155774	540.866522	920.769361
[REDACTED]	20	253.479869	0.121282	187.209637	1,368.946780
[REDACTED]	9	181.070538	0.072982	171.671033	687.489428
[REDACTED]	4	0.161344	0.032268	0.124293	27.289669
[REDACTED]	44	236.363696	0.025426	160.597919	1,263.675875

Application
usage
figures


CPU Time	Percentage CPU Time	CPU time adjusted	GETPAGES	Percentage GETPAGES
4,307.680309	3.007077	822.250748	1,105,726,368	7.340946
4,375.207060	3.054216	883.929817	1,093,323,039	7.258600
4,163.849663	2.906673	798.564742	1,060,248,627	7.039018
3,950.536953	2.757765	796.167106	1,018,411,425	6.761259
3,957.145128	2.762378	768.958353	1,010,413,994	6.708164
3,688.444643	2.574805	712.819450	942,433,406	6.256839
8,691.703040	6.067447	396.705305	739,538,587	4.909815
8,728.374272	6.093047	428.705305	732,257,998	4.861479
1,406.492725	0.981835			1.159908
3,163.883163	2.208623			0.345301

Adjusted
data




Selected use cases

Lots of executions for the *same* SQL going on here...



The screenshot shows a window titled 'WLX Executions' with a sub-tab 'Executions'. It displays a table with the following columns: 'Elapsed Time', 'Elapsed Time adjusted', 'Executions', 'Percentage Executions', 'Executions adjusted', and a column for the SQL query. The table contains five rows of data, all showing high execution counts (over 9 million) for similar SELECT queries.

Elapsed Time	Elapsed Time adjusted	Executions	Percentage Executions	Executions adjusted	SQL Query
0.394725	1,372.179658	11,778,849	2.441264	1,917,165	SELECT AUSEN_MANDANT_KZ
0.376216	1,311.809182	11,424,329	2.367787	1,865,111	SELECT AUSEN_MANDANT_KZ
0.353781	1,216.424429	10,936,977	2.266779	1,760,715	SELECT AUSEN_MANDANT_KZ
0.382977	1,311.765793	10,305,159	2.135830	1,652,644	SELECT AUSEN_MANDANT_KZ
0.323059	1,150.245687	9,915,706	2.055112	1,653,000	SELECT AUSEN_MANDANT_KZ



```
SELECT AUSEN_MANDANT_KZ  
FROM AUSEN_MANDANT_KZ  
WHERE AUSEN_MANDANT = : H  
AND AUSEN_BS = : H  
AND AUSEN_VB = : H  
AND AUSEN_KST = : H  
AND AUSEN_TAGES_DATUM = : H
```

Why so often? Discussed with development and find it is a „design“ problem ... The query could be run earlier and then only a few times a day instead of millions!

Selected use cases

Often
run BAD
SQL

This
workload
splits
into two
SQLs

Primary Authorization ID	Number of Statements	Sum of CPU Time	Average CPU Time	Highest CPU Time
WPC10	2	51.785070	0.000159	27.82095

Primary Authorization ID	CPU Time	Elapsed Time	Executions	GETPAGES	Synchronou
WPC10	27.820950	33.148750	161,910	2,357,445	
WPC10	23.964120	28.562837	162,626	2,366,231	

Which have this SQL:
Six UNIONS...
DBA rewrote down
to one SELECT and
IN usage

```
SELECT   
FROM   
SELECT MATRIX, 1 as STUFE   
FROM RKNWCO.T4035_MARKT_DEF   
WHERE WM_REGION = ?   
AND WM_REGION_H = ?   
AND WM_REGION_SUMMER = ?   
AND WM_REGION_NR = ?   
AND WM_REGION_SFALL = ?   
UNION   
SELECT MATRIX, 2 as STUFE   
FROM RKNWCO.T4035_MARKT_DEF   
WHERE WM_REGION = ?   
AND WM_REGION_H = ?   
AND WM_REGION_SUMMER = ?   
AND WM_REGION_NR = ?   
AND WM_REGION_SFALL = ?   
UNION   
SELECT MATRIX, 3 as STUFE   
FROM RKNWCO.T4035_MARKT_DEF   
WHERE WM_REGION = ?   
AND WM_REGION_H = ?   
AND WM_REGION_SUMMER = 0   
AND WM_REGION_NR = ?
```

Selected use cases

The screenshot shows a dialog box titled "Index maintenance costs". It contains the following fields:

- Description: IndexCostsAnalysis20130807165706
- Table creator: IQA0610
- Table name: IQATW009


There are two sections for date/time selection:

- Period 1**
 - Date/Time from: 29.07.2013 00:00
 - Date/Time to: 29.07.2013 23:59
- Period 2**
 - Date/Time from: 29.07.2013 00:00
 - Date/Time to: 29.07.2013 23:00

A calendar pop-up is displayed over the "Date/Time to" field of Period 1, showing the month of July 2013. The date 29 is selected. The calendar also shows the current date as "Heute: 07.08.2013".

Calendar
date/time
for from
<-> to
index
analysis


Selected use cases




WLX Report

Index Maintenance Costs



Index maintenance costs for table: IQA0610.IQATW008






Application Development:



- Application Workload Analysis: E.g. which machine load is produced by a certain Application?
- Explain Tool link (e.g.  SQL Performance Expert, IBM DataStudio)
- Show same SQL on Multiple Schemas to detect “heavy-hitters”
- SQL Text Analysis for free text search (e.g.: BIF [Built-in Function] and UDF [User-Defined Functions] -usage, Java-formatted timestamps, etc.)
- View to detect “heavy-hitters” resulting from identical statements using different predicates
- Find unused (orphaned) SQL






Workload/ Performance management:


- Workload-Change, Problem-Detection and Trending, Comparison of CPU consumption, I/ O, execution rates, current KPIs and deltas – Calculated and summarized to the costs of multiple apps
- Disc Problem Detection – I/ O Rates
- SQL KPIs – Background Noise and Exceptions
- SELECT Only Table Detection (READ only activity)
- Delay Detection (All queries which are delayed)
- Up and Down Scaling of SQL Workloads
- DSC Flush Analysis
- CPU Intensive Statements
- Index Maintenance Costs






Database Administration:


- Find never used Objects (Tables, Indexes, Tablespaces)
- Find never executed Packages



Audit and Security:



- AUDIT tables being accessed
- AUDIT DB2 data being accessed
- AUDIT data manipulation (insert/update/delete)
- See where updates came from (inside or outside the local network)
- See where data is being accessed from (IP address, intra-/extranet, etc.)
- SQL Text Analysis for free text search (BIF [Built-in Function] and UDF [User-Defined Functions] -usage, Java-formatted timestamps, etc.)









■ Problem list :

- PM77114 DB2 10 UK91560 – Abend S04E
- PM78143 DB2 10 UK93065 – SOS – HIPER
- PM80371 DB2 10 UK93127 – Serviceability for SHTE
- PM83370 DB2 10 UK94511 – Fields TB and IX sometimes wrong
- PM85376 DB2 10 UK96310 – Abend S04E
- PM89121 DB2 10 UK95683 – Storage leak leading to abend – HIPER
- PM91159 DB2 10 UK97197 – Improve accuracy of IFCID 316 and 401
- PM92610 DB2 11 UK96376 – Abend with IFCID 400 or 401
- PM93437 DB2 11 UK97361 – IFCID 316 fields length value problem
- PM97922 DB2 10 UI12375 DB2 11 UI12376 – Invalid or empty IFCID 316
- PI07461 OPEN – Inconsistent QA0401EU, GL and GP
- PI09147 DB2 10 UI15679 DB2 11 UI15680 – Abend S04E
- PI09408 DB2 10 UI15740 DB2 11 UI15741 – Abend S04E
- PI09788 DB2 11 UI15739 – SOS with IFCID400





Ulf Heinrich
SEGUS Inc
u.heinrich@segus.com